

Date: Monday, 06/10/2008 1:20:43 PM
 User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : GUIDE
Job Number : 42473	
Estimate Number : 11216	
P.O. Number :	Part Number : D33335
This Issue : 06/10/2008 S.O. No. :	Drawing Number : D3333 REV B
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : MACHINED PARTS	Drawing Revision : B
Previous Run : 39448	Material :
Written By :	Due Date : 20/10/2008 Qty: 10 Um: Each
Checked & Approved By : <u>JUL 08.10.06</u>	
Comment : Est. A05.01.13 New issue KJ/JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
1.0	M1010B1500X01000	1010-1025 Steel Bar 1.500 x 1.00
Comment: Qty.: 0.6672 f(s)/Unit Total: 6.6717 f(s) AISI 1010-1025 Steel Bar Material: AISI 1010-1025 or ASTM A36/A366/A569/A570 Cold Rolled Steel (M1010-B1.500x01.000) Identify for D3333-5 Batch: <u>M108/50</u> <u>JUL 08/10/11</u> (10)		
2.0	BAND SAW	BAND SAW
Comment: BAND SAW Cut blanks: 1.500" x 1.000" thick x 7.500" long <u>JUL 08/10/11</u> (10)		
3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per Folio FA484 and Dwg D3333 Tap holes as per Dwg D3333 Deburr Identify as D3333-5 <u>JUL 08/10/11</u> (10)		
4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
Comment: INSPECT PARTS AS THEY COME OFF MACHINE <u>JUL 08/10/11</u> (10)		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Monday, 06/10/2008 1:20:43 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GUIDE

Job Number: 42473

Part Number: D33335

Job Number:



Seq. #: Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



10
JLP 08/10/12

Comment: SECOND CHECK

6.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

1- pass parts in deburring machine

CP 08-10-28

10

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/10/28

10

8.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Fire Red (Ref: 4.3.5.10) as per QSI 005 4.3

Ensure to mask threaded holes

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

7:30
320°F
8:00

M-F 08/11/01

10X

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

FZ 08/01/03

10

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 484

8/11/3

10X

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/11/04 JF

Job Completion



mf 08-10-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



DESIGN FE	DRAWN BY FE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 3	APPROVED JRS	DRAWING NO. D3333	REV. B SHEET 1 OF 3
DATE 05.02.18	TITLE PLATE	SCALE 1:2	
A	04.12.14	NEW ISSUE	
B	05.02.18	RE-DESIGN D3333-3	

RELEASED

05/02/22



D3333-1 BASE PLATE PANEL

NOTES:

- 1) MATERIAL: AISI 4140 STEEL 0.625 THICK STEEL (REF. DART SPEC. M4140-B)
MIN. YIELD TENSILE STRENGTH = 100 ksi
- 2) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 112473

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



DESIGN H	DRAWN BY H	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 3	APPROVED [Signature]	DRAWING NO. D3333	REV. B SHEET 2 OF 3
DATE 05.02.18	TITLE PLATE		SCALE 1:4

RELEASED
05/02/22

DO NOT PAINT THESE AREAS
(TYPICAL ON BOTH SIDES)



SECTION A-A

D3333-3 SLIDING PLATE

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 0.50 THICK MILD STEEL (REF. DART SPEC. M1010-B)
- 2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 42473

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN #	DRAWN BY #	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3333	REV. B SHEET 3 OF 3
DATE 05.02.18		TITLE PLATE	SCALE 1:2



RELEASED
05/02/22

D3333-5 RAIL

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 1.00 THICK STEEL (REF. DART SPEC. M1010-B)
- 2) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 112473

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries